

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
24 October 2002 (24.10.2002)

PCT

(10) International Publication Number
WO 02/083111 A2

(51) International Patent Classification⁷: **A61K 31/00**

(JP). **KOBAYASHI, Hiroyuki** [JP/JP]; 1127-1-B, Ohaza-Angyo-Jirin, Kawaguchi-shi,, Saitama 334-0071 (JP).

(21) International Application Number: PCT/JP02/03723

(22) International Filing Date: 15 April 2002 (15.04.2002)

(74) **Agent: TSUKUNI, Hajime**; Svax TS Building, 22-12, Toranomom 1-chome, Minato-ku, Tokyo 105-0001 (JP).

(25) Filing Language: English

(26) Publication Language: English

(30) **Priority Data:**
2001-116436 16 April 2001 (16.04.2001) JP
2001-249671 20 August 2001 (20.08.2001) JP

(81) **Designated States (national):** AE, AG, AL, AU, BA, BB, BG, BR, BZ, CA, CN, CO, CR, CU, CZ, DM, DZ, EC, EE, GD, GE, HR, HU, ID, IL, IN, IS, JP, KR, LC, LK, LR, LT, LV, MA, MG, MK, MN, MX, NO, NZ, OM, PH, PL, RO, SG, SI, SK, TN, TT, UA, US, UZ, VN, YU, ZA.

(71) **Applicant (for all designated States except US): TAN-ABE SEIYAKU CO., LTD.** [JP/JP]; 2-10 Dosho-Machi 3-Chome, Chuo-Ku, Osaka 541-8505 (JP).

(84) **Designated States (regional):** ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

(72) **Inventors; and**


(75) **Inventors/Applicants (for US only): HONGU, Mitsuya** [JP/JP]; 2486-25, Ohaza-Haraichi,, Ageo-Shi, Saitama 362-0021 (JP). **HOSAKA, Thoshihiro** [JP/JP]; 2-7 Higashi-ueno 2-chome, Taitou-ku, Tokyo 110-0015 (JP). **KASHIWAGI, Toshihiko** [JP/JP]; 3-8 Kawagishi 2-chome, Toda-shi, Saitama 335-0015 (JP). **KONO, Rikako** [JP/JP]; Towa City Coop 401, 180-1 Sakuragicho 4-chome, Saitama-shi, Saitama 331-0852

Published:

— without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) **Title:** LARGE CONDUCTANCE CALCIUM-ACTIVATED K CHANNEL OPENER



(I)

(57) **Abstract:** A large conductance calcium-activated K channel opener comprising as an active ingredient a nitrogen-containing 5-membered heterocyclic compound represented by the following formula (I): wherein X represents N-R⁴, O or S, R¹ and R² each independently represent hydrogen, halogen, carboxyl, amino, lower alkyl, lower alkoxy carbonyl, lower alkenyl, cyclo-lower alkyl, carbamoyl, aryl, heterocyclic or heterocyclic-substituted carbonyl group, R³ represents aryl, heterocyclic or lower alkyl group, and R⁴ represents hydrogen or lower alkyl group.



WO 02/083111 A2

